

Sealmaster Rotary Frame Protectors

Part of the Dixon
International Group Ltd
www.dig.co.uk

Fitting Instructions

Product Codes: DFG/B/25/1200 or DFG/B/50/1200


Fixing pack includes:

- No.8 x 2" CSK Pozi Woodscrew (7x)



Tools required:

- Electric drill / driver
- 6mm allen key
- Pozi 2 driver Bit

1. Unscrew the fixing bolts from the top and bottom of the Rotary Frame Guard using a 6mm allen key.



2. Remove the central roller section with both bearings from the body. This will expose all 7 of the pre-drilled and countersunk holes.
3. Position the body section on the frame at the desired height.




4. Mark the frame, through the fixing holes.
5. Remove the body section.

www.sealmaster.co.uk



Sealmaster Rotary Frame Protectors

Part of the Dixon
International Group Ltd
www.dig.co.uk



6. Drill a 3mm pilot hole at each mark through the timber.
7. Place the body section back onto the frame.



8. Fix the body onto the frame using all 7 of the 2" x No.8 woodscrews provided.
9. Refit the roller section ensuring a bearing is fitted to each end. The flat section of the bearing should face the frame.



10. Fix the roller section in place using both fixing bolts removed in step 1.



11. The roller should sit flush and roll freely. If the roller does not turn freely, disassemble and ensure the bearings are facing the correct direction.



Sealmaster Rotary Frame Protectors

Part of the Dixon
International Group Ltd
www.dig.co.uk

All products must be fitted as per the directions detailed within this Instruction document. We take no responsibility for incorrect installation / operation of the product. By purchasing this product, you are confirming that the product will be fitted as per the instructions.

To be fitted as per the global assessment. If you wish to receive a copy of this document, please contact our sales team. On 01223 832851

Disclaimer:

Please note that this product has measures designed to reduce the risk of self-harm or suicide and does not offer any guarantee that it will not take place. The solutions have been designed as a deterrent only.

